Chromatographia Vol. 31, Key Word Index

a_1-acid glycoprotein, **31**, 63, 478
AAS detection, **31**, 481
Acid/base character, **31**, 357
Adsorption isotherms, **31**, 323
Adsorption on diatomaceous supports, **31**, 351
Agarose, **31**, 85
Aliphatic alcohols, methyl ketones, and methyl ethers, **31**, 168
Alkyl and aryldimethyl phases, **31**, 335
Amines, **31**, 41
Amino acids in wine, **31**, 272
Amino acids, **31**, 123, 429, 500
Antioxidant-tail reducer, **31**, 351
Aromatic compounds, **31**, 561
Atmospheric pressure ionization, **31**, 50
Azadirachtins H and I, **31**, 303

Barley leaf pigments, **31**, 5
Bentone, **31**, 457
Biflavonoids, **31**, 247
Bile acids, **31**, 549
Bioanalysis, **31**, 469
Biogenic amines, **31**, 381
Bonded phase synthesis, **31**, 335, 583

Capillary and packed columns, **31**, 535
Carbamide-formaldehyde polymer, **31**, 281
Carboxylic acid methyl esters, **31**, 168
Carvone and pulegone, **31**, 147
Catechins, **31**, 465
Catecholamine in urine, **31**, 137
Cellulose, **31**, 281
Chalcones, **31**, 575
Cheese, **31**, 441
Chemical composition distribution, **31**, 493
Chemically bonded phases, **31**, 575
Chemically modified silicas, **31**, 347
Chemiluminescence detection, **31**, 342
Chiral separations, **31**, 55, 123, 329, 429
Chiral stationary phase, **31**, 129, 323
Chlorophylls and carotenoids, **31**, 589
Chlorophylls, pheophytins and carotenoids, **31**, 5
Chromatographic optimization, **31**, 481
Chromatography, general, **31**, 367, 374, 554, 595
Cigarettes, **31**, 63
CLC, **31**, 27, 41, 55, 67, 71, 80, 119, 129, 133, 137, 143, 147, 157, 193, 263, 272, 277, 285, 300, 303, 323, 329, 335, 347, 362, 381, 387, 401, 429, 441, 465, 469, 478, 481, 489, 493, 505, 507, 539, 544, 569, 575, 589, 600, 603
CLC/MS, **31**, 50
CN-bonded silica, **31**, 5
CO_2 with modifiers, **31**, 293
Column dead-time, **31**, 448
Column degradation, **31**, 535
Columns liquid chromatography, s. CLC
Column liquid chromatography/mass spectrometry, s. CLC/MS
Column switching, **31**, 285
Column temperature optimization, **31**, 173
Complex glycans, **31**, 478
Complexation gas chromatography, **31**, 168
Compressed beds, **31**, 85
Copper(II) complexes, **31**, 11
Correlation chromatography, **31**, 393
Cortico-steroids, **31**, 67
Coupled LC-GC-MS, **31**, 113
CP/MAS NMR spectroscopy, **31**, 335
Cyclodextrin bonded phase, **31**, 561
Cyclodextrin inclusion complexes, **31**, 157
Cyclodextrin stationary phase, **31**, 448
Cypress canker, **31**, 247

Dead time, **31**, 544
Deans sampling and backflushing, **31**, 95
Deconvolution, **31**, 595
Deformation polarizability, **31**, 434
Density gradients, **31**, 529
Density, **31**, 297
Diethyl-(2-hydroxy-propyl)aminoethyl (QAE)-cellulose, **31**, 60
Diethyldithiocarbamate-bonded zinc silicate, **31**, 300
Diketonates of Eu and Pr, **31**, 168
Dipeptide isomers, **31**, 27
Direct sample injection, **31**, 137
Drug adulterants, **31**, 67

EDTA complexes, **31**, 539
Electrochemical detection, **31**, 549
Enantioselectivity, **31**, 129
End-capping, **31**, 129
Enthalpy of interaction, **31**, 31
Equilibrium constants of adduct formation, **31**, 168
Essential oils, **31**, 489
Ethylbenzene and xylene isomers, **31**, 457
Ethylenethiourea in ground water, **31**, 285
Extraction cell geometry, **31**, 297
Extraction from cells and tissue, **31**, 401
Extraction solvents, **31**, 589
Extrapolation of net retention time, **31**, 31

Factor analysis, **31**, 575
Flame ionization detection, **31**, 493
Flavonoid glycosides, **31**, 247
Fluorine, **31**, 342
Fluorogenic derivatization, **31**, 429
Food-related biogenic amines, **31**, 381
Forensic studies, **31**, 224
FPD, **31**, 95
Fruit juice adulteration, **31**, 123

Gas and liquid chromatography, **31**, 177
Gas chromatography, s. GC
Gasoline weathering, **31**, 224
GC, **31**, 11, 31, 75, 95, 123, 173, 193, 224, 243, 258, 342, 351, 393, 453, 457, 500, 569
GC-MS, **31**, 489
Glyco-conjugates, **31**, 549
Glycopeptides, **31**, 478
Grape seeds, **31**, 465

Headspace analysis, **31**, 342
Heavy metal ions, **31**, 539
Hemoglobin A_{1C}, **31**, 505
Histamine in wine, **31**, 133
Homologous series, **31**, 544
Hydrochloric acid and chloride media, **31**, 60
Hydrophobic-interaction chromatography, **31**, 85
4-Hydroxy-3,5-di-tert-butylbenzyl alcohol, **31**, 351

Imidazole derivatives, **31**, 293
Immobilized human serum albumin, **31**, 55
Immobilized serum albumin, **31**, 323
Immunuaffinity precolumn, **31**, 469
Information theory, **31**, 367, 374, 554
Injection conditions, **31**, 589
Inorganic anions, **31**, 80
Inorganic ions, **31**, 60
Insect growth regulators, **31**, 303
Intermolecular interactions, **31**, 119
Inverse exclusion chromatography, **31**, 21
Inverse gas chromatography, **31**, 357, 434
Ion chromatography, **31**, 80
Ion mobility detection, **31**, 163
Ion-exchange chromatography, **31**, 85, 441
Ion-interaction chromatography, **31**, 539
Ion-pair reversed-phase separations, **31**, 401
IR and UV spectroscopy, **31**, 71

Kalman filter, **31**, 367, 374, 554
Kováts coefficients, **31**, 75

Laidlomycin, 26-deoxylaidlomycin, **31**, 603
LC, **31**, 549
LC-MS, **31**, 489
Leucine, N-benzoyl derivative, **31**, 323
Linearity, **31**, 500
Lipocalin, **31**, 63
Lipophilic solid phases, **31**, 152
Liquid CO_2 extraction, **31**, 569
Liquid crystal bonded phase, **31**, 147
London dispersive forces and specific interactions, **31**, 434
Lubricating oils additives, **31**, 71

Maltose-silica, **31**, 263
Methanol-buffer mobile phase, **31**, 600
Methoxychlor, **31**, 297
Methyl polysiloxanes immobilization, **31**, 258
Microcolumn liquid chromatography, **31**, 561
Microorganisms, **31**, 123
Mixed mobile phase, **31**, 163
Mobile phase effects, **31**, 329
Mobile phase optimization, **31**, 173
Modified mobile phase, **31**, 529
Molecular connectivity, **31**, 163
Molecular planarity recognition, **31**, 239
Molecular structure parameters, **31**, 143
Molecular weight determination, **31**, 251
Multidimensional chromatography, **31**, 233
Multifactor optimization, **31**, 173
Mussels, **31**, 453

N-(chloroformyl)-carbazole, **31**, 429
n-alkylbenzenes, **31**, 347
N_2O, **31**, 293
Narasin in fermentation broth, **31**, 277
Natural gas odorants, **31**, 95
Natural graphite, **31**, 434
Neem kernels, **31**, 303
Nicergoline, **31**, 50
Nitrogen-phosphorus detector, **31**, 500
NMR characterization, **31**, 583
Non-linear regression, **31**, 544
Non-porous cation exchanger, **31**, 505
Non-steroidal anti-inflammatory drugs, **31**, 55
Nonporous beads, **31**, 85
Nonylphenyl ethylene oxide oligomers, **31**, 152
Normal phase analysis, **31**, 575
Nucleotides, **31**, 401

Oestrogens, **31**, 469
OPA/FMOC precolumn derivatization, **31**, 441
Open tubular columns, **31**, 233
Optimization, **31**, 367, 374, 554
Organochlorine pesticides, **31**, 453
Organoclay stationary phase, **31**, 457
Orosomucoid, **31**, 63. 478
Overlapping peaks, **31**, 595
Ovomucoid stationary phase, **31**, 329

Packed columns, **31**, 258
Packings with surface barriers, **31**, 507
Particle size distribution, **31**, 362
Peak broadening equation, **31**, 251
Peroxide initiated cross-linking, **31**, 258
pH gradient elution, **31**, 505
Phenylisothiocyanate derivatives, **31**, 272
Phosphine derivatives, **31**, 342
Phosphoroamidothiotes, **31**, 143
Phthalates, **31**, 63
Phytoplankton pigments, **31**, 589
Poly(methyl acrylate-co-*n*-butyl acrylate), **31**, 493
Poly(styrene-co-methyl acrylate), **31**, 493
Poly(vinyl alcohol)gel, **31**. 80
Polyaromatic ester copolymers, **31**, 21
Polycarboxylates in detergents, **31**, 17
Polychlorinated biphenyls, **31**, 453
Polycyclic aromatic hydrocarbons, **31**, 113, 239, 297, 569
Polycyclic aromatics, **31**, 147, 157
Polydispersities, **31**, 251
Pore size distribution, **31**, 21
Porous structure, **31**, 21
Pre-column derivatization, **31**, 133, 272
Prediction of retention, **31**, 143
Preparative GPC, **31**, 17
Principal component analysis, **31**, 243
Proanthocyanidins, **31**, 465
Protein conformation, **31**, 329
Protein separation, **31**, 263

Quantitative amino acid analysis, **31**, 441

Re(VII), **31**, 60
Resolution of enantiomers, **31**, 31
Restricted access packings, **31**, 507
Retention mechanism, **31**, 41, 119, 401
Retention model, **31**, 387
Retention modelling, **31**, 600
Retention prediction, **31**, 554
Retention variations, **31**, 27
Reversed-phase HPLC, **31**, 351

Sample clean-up of biologically active analytes, **31**, 507
Schiff's bases, **31**, 11
Screening for ETU, **31**, 285
SEC, **31**, 17, 71, 251
Selective ion monitoring, **31**, 50
Selenonium and arsonium cations, **31**, 481
Self-association of water, **31**, 387
Semisynthetic alkaloids, **31**, 50
Separation factors, **31**, 41
Separation of metal ions, **31**, 281
Sepiolite, **31**, 357
SFC, **31**, 163, 233, 293, 297, 448, 529, 535, 561
SFC, packed columns, **31**, 239
Shielded hydrophobic phase, **31**, 137
Silanol adsorption centres, **31**, 193
Silanols as adsorption centres, **31**, 177
Silica gel, **31**, 362
Silica, **31**, 85
Silylcarbamate derivatives, **31**, 583
Simplex optimization, **31**, 277
Simulated evaporation of complex mixtures, **31**, 224
Size exclusion chromatography, s. SEC
Solid phase extraction, **31**, 133, 453

Soot and air samples, **31**, 569
Spark modulator injector, **31**, 393
Stationary phase optimization, **31**, 173
Stationary phase polarity, **31**, 75
Stationary phase stress, **31**, 362
Statistical moment analysis, **31**, 595
Sterols, **31**, 243
Strong adsorption sites, **31**, 177
Strongly interacting adsorption sites, **31**, 193
Structure-retention relationships, **31**, 157
Styrene-methacrylate polymers, **31**, 71
Sulphur dioxide mobile phase, **31**, 535
Supercritical fluid chromatography, s. SFC
Suppression of adsorption activity, **31**, 193
Suppression of adsorption, **31**, 177
Surface states, **31**, 347
Synthesized clay material, **31**, 239

Tauro-conjugates, **31**, 549
Ternary mobile phase, **31**, 119
The silica surface, **31**, 177
Thermal analysis, **31**, 11
Thermodynamic analysis, **31**, 31
Thin-layer chromatography, s. TLC
TLC, **31**, 5, 11, 60, 152, 247, 281
Trace analysis, **31**, 285
Transition metal ions, **31**, 300

Univap, **31**, 95
UV detection for IC, **31**, 80
UV-visible spectroscopy/diode array detection, **31**, 465

Valve switching, **31**, 233
van der Waal's retention factor, **31**, 448
van der Waal's surface are, **31**, 448
van der Waals volume, **31**, 27
Vanillin, **31**, 277
Vapor-liquid equilibria, **31**, 529
Vegetable oil samples, **31**, 113

Wine, **31**, 381
Wool wax alcohols, **31**, 243

Chromatographia Vol. 31, Subject Index

Acetonitrile, aqueous, mobile phase, **31**, 347
Acidic surface, **31**, 357
Adsorption, suppression of, **31**, 177, 193
Adsorption isotherms, by LC, **31**, 323
Adsorption on silica, **31**, 177, 193
Advances in electrophoresis, 2, 3,
  book reviews, **31**, 208
Agarose, in IEC, **31**, 85
Algorithm, for dead-time estimation, **31**, 544
Alkaloids, **31**, 50
Alkyl benzenes, capacity factors, **31**, 561
Alkyldihydrosilanes, modifiers for silica, **31**, 335
Amines, biogenic, **31**, 381
Amines, derivatives of, **31**, 41
Amines capacity factors for, **31**, 41
Amines in wine, **31**, 381
Amino acid analysis, quantitative, **31**, 441
Amino acid derivatives, adsorption of, **31**, 323
Amino acid microanalysis, **31**, 429
Amino acids, in orange juice, **31**, 123
Amino acids in wine, **31**, 272
Analysis, effect of variables on, **31**, 374
Analytical biotechnology, book review, **31**, 413
Analytical instrumentation, book review, **31**, 514
Antioxidant tailing reducer, **31**, 351
Anti-inflammatory drugs, non-steroidal, **31**, 55
Azadirachtins, LC of, **31**, 303

Barley leaf pigments, **31**, 5
Beads, non-deformable, **31**, 85
Beads, non-porous, **31**, 85
Bentones, as stationary phases, **31**, 457
Benzene emission, from fuels, **31**, 398
Bonded phases, **31**, 575, 583
Bonded phases, structures of, **31**, 335
Bovine serum albumin, **31**, 323

Capacity factor, effect of pH on, **31**, 27
Capacity factors, catecholamines, **31**, 139
Capacity factors, chalcones, **31**, 575
Capacity factors, hydrocarbons, **31**, 229
Capacity factors, phosphoroamidothioates, **31**, 143
Carbamide-formaldehyde polymer, **31**, 281
Carbon, nitrogen & sulfur pollutants & their
  determination in air and water, book review, **31**, 608
Carotenoids, **31**, 5
Catecholamines, in urine, **31**, 137
Cation-exchanger, non-porous, **31**, 505
Cell extracts, **31**, 401
Chemiluminescence, F_2 induced, **31**, 342
Chiral separations, **31**, 41, 50, 55, 329, 429
Chiral stationary phase, albumin, **31**, 55
Chlorophylls, **31**, 5
Chromatography, optimisation of, **31**, 367, 374
Cigarette smoking, **31**, 63
CN-bonded silica, **31**, 5
Column degradation, **31**, 535
Column liquid chromatography, s. LC
Column switching, **31**, 285, 469
Columns, PVA gel, **31**, 80
Columns, reverse-phase, shielded, **31**, 137
Concentration changes, simulation of, **31**, 224
Connectivity index, **31**, 163
Copper(II) complexes of Schiff's bases, **31**, 11
Correlation GC, **31**, 393
Countercurrent chromatography, book review, **31**, 209
CO_2, modified for SFC, **31**, 293, 529
CP/MAS NMR, **31**, 335
ß-Cyclodextrin stationary phase, **31**, 561

Dead-time, of microcolumns, **31**, 448
Dead-time estimation, in LC, **31**, 544
Deformation polarisability, **31**, 434
Density gradients, in SFC, **31**, 529
Derivatisation, pre-column, **31**, 441
Derivatives, fluorescent, **31**, 429
Derivatives, of phenylisothiocyanate, **31**, 133, 272
Derivatives, optical resolution of, **31**, 429
Desorption, immunoselective, **31**, 469
Detectiion, NPD, **31**, 500
Detection, AAS, **31**, 481
Detection, amperometric, **31**, 137
Detection, chemiluminescent. **31**, 342
Detection, ion mobility, **31**, 143
Detection, photodiode array, **31**, 465
Detection, pulsed amperometric, **31**, 549
Detection, UV in LC, **31**, 80
Detection, UV-fluorimetric in series, **31**, 489
Detector, non-linear calibration, **31**, 500
Dispersive forces, **31**, 434
Drug adulterants, **31**, 67

EDTA complexes, **31**, 539
Efficiency of packed columns, **31**, 529
Electrochemistry, book review, **31**, 516
Enantiomers, separation factors for, **31**, 131
Enantioselectivity, influence of end-capping, **31**, 129
End-capping, of chiral stationary phases, **31**, 129
Ethylenethiourea, in ground water, **31**, 285
Extraction, solid phase, **31**, 133, 453
Extraction by liquid CO_2, **31**, 569
Extraction solvents, **31**, 589
Extractor cell geometry, **31**, 297

Factor analysis, **31**, 575
FID, of copolymers, **31**, 493
Flavanoids, of *Cupressus sempervirens*, **31**, 247
Flavour symposium, book review, **31**, 515
Forensic data, **31**, 224
Fuels, benzene emission from, **31**, 398

Gas chromatography, see GC
Gas chromatography-mass spectrometry, s. GC-MS
GC, a practical course, book review, **31**, 514
GC, column packings for, **31**, 251
GC, complexation, **31**, 168
GC, correlation, **31**, 393
GC, in chiral recognition, **31**, 31
GC, injection system for, **31**, 393
GC, inverse, **31**, 434
GC, inverse, on sepiolite, **31**, 357
GC, of aliphatic compounds, **31**, 168
GC, of amino acid enantiomers, **31**, 123
GC, of amino acids, **31**, 500
GC, of chlorinated pesticides, **31**, 453
GC, of complex volatiles, **31**, 224
GC, of Cu(II) complexes, **31**, 11
GC, of ethanolamines, **31**, 171

GC, of ethylbenzene and xylene isomers, **31**, 457
GC, of ethylene glycols, **31**, 171
GC, of natural gas smell markers, **31**, 95
GC, of n-alkanes, **31**, 75
GC, of PAHs, **31**, 569
GC, of PCBs, **31**, 453
GC, of phosphine derivatives, **31**, 342
GC, of sterols, **31**, 243
GC, of wool wax alcohols, **31**, 243
GC, on activated supports, **31**, 351
GC, on silica, **31**, 177, 193
GC, optimisation of, **31**, 173
GC, without multiport valves, **31**, 95
GC study of adduct formation, **31**, 168
GC-MS, of essential oils, **31**, 489
Gel filtration chromatography, s. SEC
Geochemistry of sulphur, book review, **31**, 102
Glyco-conjugates, **31**, 549
Gradient elution, pH, **31**, 505
Grape seeds, **31**, 465
Graphite surfaces, **31**, 434

HCl-NH_4Cl mobile phase, **31**, 60
Headspace analysis, **31**, 342
High-performance liquid chromatography, s. LC
High-performance thin-layer chromatography, s. TLC
Histamine, in wine, **31**, 133
HPLC, see LC
HPTLC, see TLC
Hydrophobic-interaction chromatography, **31**, 85

IC, on PVA, **31**, 80
IE extraction of amino acids, **31**, 123
IEC, **31**, 441
IEC, of glyated haemoglobin, **31**, 505
IEC, on agarose and silica, **31**, 85
Immobilised human serum albumin, **31**, 55
Immunoassay for food analysis, book review, **31**, 208
Inclusion complexes, of β-cyclodextrin, **31**, 157
Information theory, **31**, 367, 374, 554
Injection and backflushing valve, **31**, 95
Injection conditions, influence of, **31**, 589
Injector, spark modulator, **31**, 393
Intermolecular interactions, **31**, 119
Inverse GC, **31**, 434
Ion chromatography, s. IC
Ion-exchange chromatography, s. IEC
Ion-interaction chromatography, **31**, 539

Kalman filter, **31**, 367, 374
Kovats' coefficients, **31**, 75

Lanthanide diketonates, **31**, 168
LC, adsorption isotherms in, **31**, 323
LC, computing for, book review, **31**, 209
LC, effect of organic modifiers, **31**, 329
LC, effect of pH, **31**, 329
LC, in biotechnology, book review, **31**, 308
LC, ion-pair, **31**, 401
LC, of amines, **31**, 381
LC, of amino acids, **31**, 133, 272
LC, of amino acids, **31**, 441
LC, of aromatic compounds, **31**, 561
LC, of 2-arylpropionic acid enantiomers, **31**, 55
LC, of azadirachtins, **31**, 303
LC, of bile acids, **31**, 549
LC, of biologically active solutes, **31**, 507
LC, of carvone, **31**, 147
LC, of catechins, **31**, 465
LC, of catecholamines, **31**, 137
LC, of chalcones, **31**, 575
LC, of chiral amino acids, **31**, 429
LC, of chlorophylls and carotenoids, **31**, 589
LC, of copolymers, **31**, 493
LC, of corticosteroids, **31**, 67
LC, of 26-deoxylaidlomycin, **31**, 603
LC, of dipeptide isomers, **31**, 27
LC, of enantiomers, **31**, 129
LC, of essential oils, **31**, 489
LC, of ethylenethiourea, **31**, 285
LC, of glycated haemoglobin, **31**, 505
LC, of glycoforms, **31**, 478
LC, of glycopeptides, **31**, 478
LC, of heavy metal ions, **31**, 539
LC, of histamine, **31**, 133
LC, of homologous amines, **31**, 41
LC, of hydroxybutylbenzyl alcohol, **31**, 351
LC, of inorganic ions, **31**, 80
LC, of laidlomycin, **31**, 603
LC, of narasin, **31**, 277
LC, of nicergoline and related compounds, **31**, 50
LC, of nucleotides, **31**, 401
LC, of n-alkylbenzenes, **31**, 347
LC, of oestrogens, **31**, 469
LC, of PAHs, **31**, 147, 157, 561, 569
LC, of phosphoroamidothioates, **31**, 143
LC, of phthalates in smoking, **31**, 63
LC, of polystyrene copolymers, **31**, 71
LC, of proanthocyanidins, **31**, 465
LC, of proteins, **31**, 263
LC, of PTH-amino acids, **31**, 554
LC, of pulegone, **31**, 147
LC, of selenonium and arsonium cations, **31**, 481
LC, of steroids, **31**, 120
LC, of transition metal ions, **31**, 300
LC, on maltose silica, **31**, 263
LC, on modified silica, **31**, 335, 347
LC, on modified zinc silicate, **31**, 300
LC, on silica, **31**, 177, 193
LC, on stressed silica, **31**, 362
LC, retention mechanisms in, **31**, 119
LC, retention model for, **31**, 387, 600
LC derivatisation techniques, book review, **31**, 514
LC extraction, of orosomucoid ligands, **31**, 63
LC-atmospheric pressure ionisation-MS, **31**, 50
LC-GC-MS, coupled, **31**, 113
LC-MS, of essential oils, **31**, 489
Leucine, N-benzoyl derivative, **31**, 323
Liquid crystal-bonded phases, **31**, 147
Lubricating oil additives, **31**, 71

Main group chemistry, book review, **31**, 413
Maltose-silica stationary phase, **31**, 263
Methanol, aqueous, mobile phase, **31**, 347
Methyl polysiloxanes, immobilised, **31**, 258
Mobile phase, methanol-phosphate, **31**, 600
Mobile phase, mixed, for SFC, **31**, 163
Mobile phase composition, influence of, **31**, 323
Mobile phases, ternary, **31**, 119
Modifiers, alcoholic, **31**, 329
Molecular weight, s. RMM (relative molecular mass)

Narasin, in fermentation broth, **31**, 277
Narasin-vanillin reaction, **31**, 277
Neem kernels, **31**, 303
NMR, of stationary phases, **31**, 583
NMR, ^{13}C, of carbohydrates, book review, **31**, 102
NMR spectroscopy, CP/MAS, **31**, 335
Nonylphenylethylene oxides, **31**, 152
Non-linear regression, **31**, 544
NPD, non-linear response, **31**, 500
Nucleotides in cells, **31**, 401
n-Alkylbenzenes, thermodynamics of, **31**, 347
N-(chloroformyl)-carbazole, **31**, 429

Optimisation, chromatographic, **31**, 481
Optimisation problems, **31**, 554
Orange juice, *Lactobacillus plantarum* in, **31**, 123
Overlapping peaks, deconvolution of, **31**, 595

Packings, restricted access, **31**, 507
Packings with surface barriers, **31**, 507
PAHs, capacity factors, **31**, 113, 147, 561
PAHs, extraction of, **31**, 569
PAHs, in soot, **31**, 569
PAHs, inclusion complexes of, **31**, 157
Particle size distribution, **31**, 362
Pd(II), preconcentration of, **31**, 300
Peaks, unresolved, **31**, 554
Peak-broadening equation, analytical solution of, **31**, 251
Pesticides and PCBs, in mussels, **31**, 453
Petroleum weathering, **31**, 224
Phenylisothiocyanate derivatisation, **31**, 133, 272
Pheophytins, **31**, 5
Phosphine derivatives, **31**, 342
Phytoplankton pigments, **31**, 589
Planarity recognition, **31**, 239
Polyaromatic ester copolymers, **31**, 21
Polyclonal antibodies, **31**, 469
Polycyclic aromatic hydrocarbons, s.e PAHs
Polydispersities, **31**, 251
Polymers, porous structure of, **31**, 21
Poly(methylacrylate-co-n-butylacrylate), **31**, 493
Poly(styrene-co-methylacrylate), **31**, 493
Pore size distribution, of polymers, **31**, 21
Precision, effect of mobile phase, **31**, 367
Precolumn, immunoaffinity, **31**, 469
Principal component analysis, **31**, 243
Protein conformation, **31**, 329
Protein hydrolysates, **31**, 441
PVA gel columns, **31**, 80

QAE-cellulose layers, **31**, 60

Retention behaviour, of inclusion complexes, **31**, 157
Retention data, amino acid enantiomers, **31**, 31
Retention data, thermodynamic analysis of, **31**, 31
Retention factor, van der Waals', **31**, 448
Retention index, s. RI
Retention mechanism, **31**, 401
Retention of dipeptide isomers, **31**, 21
Retention of homologous series, **31**, 544
Retention prediction, **31**, 554
Retention times, extrapolation of, **31**, 31
Retention volumes, of molecular probes, **31**, 23
Retention-structure relationships, **31**, 143, 157
RMM determination, **31**, 251
R_F factors, aromatics, **31**, 600
R_F values, **31**, 387

Sample cleanup, **31**, 507
Schiff's bases, **31**, 11
SEC, for pore structure investigation, **31**, 263
SEC, for RMM averages, **31**, 251
SEC, inverse, **31**, 21
SEC, of polystyrene copolymers, **31**, 71
SEC, of sodium carboxylates, **31**, 17
SEC, peak-broadening equations, **31**, 251
SEC, preparative, **31**, 17
Selective ion monitoring, **31**, 50
Sepiolite, characterisation of, **31**, 357
Sepiolite, GC on, **31**, 357
Serum albumin, immobilised, **31**, 323
Serum orosomucoid, **31**, 478
SFC, capillary, **31**, 233
SFC, efficiency in, **31**, 529
SFC, of aromatic compounds, **31**, 561
SFC, of imidizole derivatives, **31**, 293
SFC, of PAHs, **31**, 233, 239, 535, 561
SFC, of polar substances, **31**, 163
SFC, of steroids, **31**, 233
SFC, on cyclodextrin, **31**, 448
SFC, on synthetic clay, **31**, 239
SFC, two dimensional, **31**, 233
SFC, with modified mobile phase, **31**, 529, 535
SFC, with SO_2 mobile phase, **31**, 535
SFE (supercritical fluid extraction), **31**, 297
SFE, of methoxychlor, **31**, 297
SFE, of PAHs, **31**, 297
Silica, in IEC, **31**, 85
Silica, modified for LC, **31**, 335, 347
Silica bonded phases, **31**, 362
Silicone stationary phases, **31**, 152
Silicones, polarity prediction for, **31**, 75
Siloxanes, peroxide cross-linked, **31**, 258
Silylating agents, new, **31**, 583
Silylcarbamate derivatives, **31**, 583
Simplex optimisation, **31**, 277
Simulated evaporation, **31**, 224
Size-exclusion chromatography, s. SEC
Sodium polycarboxylates, in detergents, **31**, 17
Solid surface interactions, **31**, 434
SO_2 mobile phase, **31**, 535
Stationary phase, ovomucoid, **31**, 329
Stationary phase, ß-cyclodextrin, **31**, 561
Stationary phases, comparison of, **31**, 575
Stationary phases, NMR of, **31**, 583
Stationary phases, organoclay, **31**, 457
Stationary phases, silicone, **31**, 152
Statistical moment analysis, **31**, 595
Supercritical fluid chromatography, s. SFC
Supercritical fluid extraction, s. SFE
Supports, diatomaceous, **31**, 351
Surface area, van der Waals', **31**, 448
Surface response methodology, **31**, 481
Surface states, of modified silicas, **31**, 347
Synthetic clay stationary phase, **31**, 239

Tailing reduction, in GC, **31**, 351
Tauro-conjugates, **31**, 549
Textiles and paper, book review, **31**, 413
Thermal analysis, of Cu(II) complexes, **31**, 11
Thin-layer chromatography, s. TLC
TLC, of flavanoids, **31**, 247
TLC, of inorganic ions, **31**, 60
TLC, of metal ions, **31**, 281
TLC, of non-ionic surfactants, **31**, 152
TLC, of photosynthetic pigments, **31**, 5
TLC, of Re(VI), **31**, 60
TLC, on cellulose layers, **31**, 281
TLC, quantitative, **31**, 247
TLC, quantitative, book review, **31**, 210
TLC plates, CN-coated, **31**, 5
Transition metals, K_d values for, **31**, 300
Trypsin, denaturation of, **31**, 263

Unified separation science, book review, **31**, 608
UV detection in IC, **31**, 80

Valve switching, in SFC, **31**, 233
van der Waals' volumes, of amino acids, **31**, 27
Vapour-liquid equilibria, **31**, 529
Vegetable oils, **31**, 113

Water, association of, **31**, 387
Wine, LC of, **31**, 381

Zinc silicate, diethyldithiocarbamate-bonded, **31**, 300